EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3277	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L2	595	L1 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L3	2	L2 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L4	6	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L5	65	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L6	33	((4-D or 4d or (four adj dimension$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L7	0	L6 L5	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L8	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L9	220	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L10	87	L9 (memory adj controller$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L11	14	L10 (communicat$4 near4 direct$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L12	13	L11 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L13	0	L12 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L14	106	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L15	11	L12 node$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L16	0	L15 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L17	5	L1 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L18	7	L6 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L19	4	L18 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L20	4	L18 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L21	0	L18 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L22	4	L18 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L23	0	L18 inifiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L24	2	L12 not L15	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L25	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L26	183	L2 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L27	472	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L28	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L29	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L30	11	L9 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L31	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L32	14	L9 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L33	0	L30 (communicat$4 near4 direct$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L34	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L35	0	L11 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L36	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L37	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L38	3277	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L39	595	L38 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L40	2	L39 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L41	5	L38 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L42	33	((4-D or 4d or (four adj dimension$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L43	30	L42 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L44	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L45	220	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L46	87	L45 (memory adj controller$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L47	14	L46 (communicat$4 near4 direct$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L48	0	L47 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L49	11	L43 folded	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L50	8	L49 z-axis	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L51	6	L50 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L52	13	L47 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L53	11	L52 node$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L54	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L55	11	L45 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L56	0	L55 (communicat$4 near4 direct$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L57	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L58	0	L53 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L59	2	L52 not L53	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L60	14	L45 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L61	472	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L62	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L63	1	"20010049740"	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L64	183	L39 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L65	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L66	106	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L67	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L68	0	L52 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L69	65	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L70	0	L42 L69	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L71	7	L42 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

L72	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L73	4	L71 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L74	0	L71 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L75	4	L71 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L76	6	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L77	4	L71 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L78	0	L71 inifiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L79	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L80	0	L49 x-y-z	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L81	4	L51 (L59 or twenty-four or (twenty adj four))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20
L82	3	("5043938" | "5991797" | "6473827").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/02/17 13:20
L83	0	L49 perpendicular	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/02/17 13:20

| L84 | 15 | US-5280607-$.DID. OR
US-5805785-$.DID. OR
US-6088330-$.DID. OR
US-6460149-$.DID. OR
US-6477663-$.DID. OR
US-6496941-$.DID. OR
US-6718486-$.DID. OR
US-6820221-$.DID. OR
US-6918051-$.DID. OR
US-6918063-$.DID. OR
US-6952766-$.DID. OR
US-7016299-$.DID. OR
US-7028228-$.DID. OR
US-7093004-$.DID. or
"20030009551" | US-PGPUB;
USPAT;
USOCR | AND | OFF | 2007/02/17 13:20 |